

**CONSTRUCTION OBSERVATION CLAUSE:**  
RODNEY L. CURTIS CURRENTLY OF CURTIS ARCHITECTURE & DESIGN P.C. IS THE ARCHITECT OF RECORD. IN THE EVENT THAT CURTIS ARCHITECTURE & DESIGN P.C. IS NOT INVOLVED IN THE JOB OBSERVATION PHASE OF THIS PROJECT, AND A CHANGE OR ALTERATION FROM THESE DRAWINGS OCCURS DURING CONSTRUCTION, THE OWNER AND CONTRACTOR(S) AGREE TO HOLD HARMLESS AND INDEMNIFY THE ARCHITECT AND CURTIS ARCHITECTURE & DESIGN P.C. FROM ANY AND ALL CLAIMS, INCLUDING ATTORNEY FEES, ARISING OUT OF OR RESULTING FROM SUCH CHANGES. BY STARTING CONSTRUCTION, OWNER AND CONTRACTOR(S) AGREE TO THIS CONDITION.

**SUPPLEMENTARY NOTES:**  
VERIFY ALL DIMENSIONS AND CONDITIONS PRIOR TO STARTING WORK. NOTIFY THE ARCHITECT OF ANY DISCREPANCIES OR INCONSISTENCIES PRIOR TO STARTING WORK.  
VERIFY IN FIELD ALL EXISTING CONDITIONS SHOWN ON DRAWINGS. ESTABLISH AND VERIFY ALL OPENINGS AND INSERTS FOR MECHANICAL, ELECTRICAL AND PLUMBING WITH APPROPRIATE TRADES.  
PROVIDE ALL NECESSARY BRACING, SHORING, GUYING OR OTHER MEANS TO AVOID EXCESSIVE STRESSES AND TO HOLD STRUCTURAL ELEMENTS IN PLACE DURING CONSTRUCTION.  
ANY ENGINEERING DESIGN PROVIDED BY OTHERS AND SUBMITTED FOR REVIEW SHALL BEAR THE STAMP OF AN ENGINEER REGISTERED IN THE STATE OF IOWA.  
DETAILS ON THE DRAWINGS ARE TYPICAL. VERIFY ALL DIMENSIONS WITH THE DESIGN DRAWINGS.  
NO MATERIAL SUBSTITUTIONS OR DESIGN CHANGES SHALL BE MADE TO THESE CONSTRUCTION DOCUMENTS WITHOUT WRITTEN PERMISSION OF THE OWNER.

**INDEX OF DRAWINGS:**  
**ARCHITECTURAL DRAWINGS:**  
C1 COVER PAGE  
SP1 SITE PLAN  
A1 LOWER FLOOR PLAN  
A2 MAIN FLOOR PLAN / FOUNDATION SECTIONS  
A3 EXTERIOR ELEVATIONS  
A4 EXTERIOR ELEVATIONS  
A5 BUILDING & WALL SECTIONS  
A6 DOOR & WINDOW SCHEDULE  
A7 INTERIOR ELEVATIONS  
A8/E1 MAIN LEVEL & LOWER LEVEL POWER PLAN  
A9/E2 MAIN LEVEL & LOWER LEVEL REFLECTED CEILING PLAN


**PROJECT TEAM:**

**ARCHITECTURAL**  
 CURTIS ARCHITECTURE & DESIGN INC.  
223 EAST MAIN  
OTTUMWA, IOWA 52501  
641.814-1500  
CURTISARCHITECTURE.COM

**SITE DESCRIPTION:**


**PROPERTY OWNER:** JOHN SMITH  
**BUILDING AREA:**  
MAIN LEVEL= 2,054 S.F.  
UPPER LEVEL= 2,054 S.F.  
TOTAL= 4,108 S.F.

**PLANNED USE:**  
RESIDENTIAL SAMPLE

	I HEREBY CERTIFY THAT THE PORTION OF THIS TECHNICAL SUBMISSION DESCRIBED BELOW WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND RESPONSIBLE CHARGE. I AM A FULLY REGISTERED ARCHITECT UNDER THE LAWS OF THE STATE OF IOWA.	
	RODNEY L. CURTIS	REG. NO. 3813
	SIGNATURE	DATE
	06/30/18	06/09/18
REGENERATION EXPIRES		
DATE ISSUED		
PAGES OR SHEETS COVERED BY THIS SEAL		

Property of Curtis Architecture & Design  
Not for Construction

Property of Curtis Architecture & Design  
Not for Construction




ROOF PLAN

3/32" = 1'-0"

GENERAL NOTES:


- TOPOGRAPHIC REPRESENTATION IS GENERAL, VERIFY ACCURACY BEFORE CONSTRUCTION
- PROVIDE ALTERNATE PRICE FOR ASPHALT PAVING INSTEAD OF CONCRETE
- TREES ARE NOT SHOWN & LOCATED AT THE HOUSE LOCATIONS VERIFY ON SITE CONDITIONS FOR TREE REMOVAL PROTECT ALL HEALTHY TREES THAT HAVE POTENTIAL TO SURVIVE.
- PROVIDE CURB CUT AS NEEDED
- PROVIDE FINISH GRADING AFTER CONSOLIDATION IS COMPLETE ALL GRADING TO SLOPE AWAY FROM HOUSE

Property of Curtis Architecture & Design  
Not for Construction



SITE PLAN

Property of Curtis Architecture & Design  
Not for Construction



SITE PLAN

1/16" = 1'-0"

Property of Curtis Architecture & Design  
Not for Construction



CURTIS  
ARCHITECTURE  
& DESIGN PC

RESIDENTIAL  
DIVISION

MEDIUM SAMPLE


SAMPLE, IOWA

SITE PLAN :  
BY DRAWING  
JOB NUMBER :  
0000  
DATE :  
000. 00. 0000  
REVISIONS :  
PDF

223 E. MAIN STREET  
OTTUMWA, IA 52501  
641 814-1500

SHEET #

SP1



LOWER LEVEL FLOOR PLAN

1/4" = 1'-0"

GENERAL NOTES:

- REINFORCED CONCRETE
- WOOD FRAMED
- WOOD FRAMED INSULATED
- BRICK
- 1 HOUR FIRE RATED ASSEMBLY
- INDICATES 3-1/2" STRUCTURAL COLUMN
- INDICATES 3-2x6 STRUCTURAL COLUMN IN 2x6 FRAME WALL OR 3-2x4 STRUCTURAL COLUMN IN 2x4 FRAME WALL
- SITE CURRENTLY HAS MANY TREES. VERIFY REMOVAL AND PRICE WITH OWNER.
- EXTERIOR WALLS SHALL BE SMOOTHED FACED CONCRETE FORMS PER MANUF. RECOMMENDATIONS, TYP.
- EXTERIOR WALLS SHALL BE 2X6 WOOD STUDS W/ 5-1/2" BATT INSULATION, 1/2" OSB SHEATHING, & "TYVEK" BUILDING WRAP, TYP.
- ALL INTERIOR WALL FRAMING TO BE 2X4 STUDS @ 16" O.C. W/ VAPOR BARRIER & LIGHT ORANGE PEEL FINISH, TYP.
- ALL INTERIOR FOUNDATION WALLS SHALL HAVE 2x4 STUD, VAPOR BARRIER & 5/8" GYP. BD. W/ LIGHT ORANGE PEEL FINISH, TYP.
- PROVIDE 1/2" GYP. BD. AT CEILINGS UNLESS OTHERWISE NOTED W/ KNOCKDOWN FINISH, PRIME & PAINTED, TYP.
- 2-2x4 HEADERS AT ALL STRUCTURAL OPENINGS UNLESS NOTED OTHERWISE. ALL HEADER LUMBER SHALL BE CLEAR OF SPLITS & CHECKS TO ATTAIN THE DESIGN VALUES USED IN DETERMINING ALLOWABLE HORIZONTAL SHEAR.
- ALL WINDOWS SHALL BE BY PELLA WINDOWS, OR AN APPROVED WINDOW BY OWNER. PROVIDE CUT SHEETS, TYP. VERIFY OPENING W/ MANUFACTURER.

- PROVIDE A 4" CONC. SLAB W/ 6x6 2.9x2.9 WW MESH OVER & MIL VAPOR BARRIER & 4" COMPACTED GRAN. FILL THROUGHOUT BASEMENT, TYP.
- ROOF TRUSS PLACEMENT BY ARCHITECT IS GENERAL. TRUSS MANUFACTURER SHALL ENGINEER AND LOCATE TRUSS A YOUNG NGUYEN. VERIFY W/ ARCHITECT AS NEEDED.
- ALL BEAMS SHALL BE SIZED BY OTHERS UNLESS OTHERWISE NOTED TYP.
- ALL FLOOR FRAMING SHALL BE DESIGNED FOR MINIMAL DEFLECTION TO REDUCE BOUNCING, TYP.
- ALL EXPOSED CONCRETE SHALL BE THE SAME RECIPE TO MAINTAIN CONSISTENT COLOR. PROVIDE RECIPE TO OWNER FOR FUTURE POURS AND COLOR MATCHING.
- CONCRETE DRIVEWAY SHALL BE MINIMUM 4" THICK W/ #4 BARS EACH WAY 12" O.C. CONTROL JOINTS AT 10'-0" O.C., TYP.
- FLOOR SYSTEM SHALL BE 3/4" T & G PLYWOOD SHEATHING SCREWED & GLUED TO TJI FLOOR JOISTS OR FLOOR TRUSSES BY MANUF., TYP.
- ROOF SYSTEM SHALL BE 5/8" CDX MIN. SHEATHING NAILED TO ROOF FRAMING W/ 30# FELT PAPER AND 30 YEAR "OAKRIDGE" OR EQUAL ASPHALT SHINGLE. PROVIDE "GRACE" ICE SHIELD TO ALL VALLEYS.
- PROVIDE R-38 BATT INSULATION AT CEILING/ATTIC SPACE, TYP.
- PROVIDE 3-9'-0" x 8'-0" INSULATED STEEL OVERHEAD DOORS, W/ OPENER, TYP.
- FIREPLACE(S) SHALL BE BY HEATILATOR DIRECT VENT W/ RE-FACTORY LINING, FAN KIT, AND GLASS DOORS (NO BRASS - BLACK OR CHROME ONLY). VENT TO THE VERTICAL CHASE. OWNER SHALL CHOOSE ACTUAL UNIT.
- ELECTRICAL CONTRACTOR SEE ELECTRICAL SHEETS FOR ADDITIONAL NOTES.
- DECK SHALL BE BROWN TREATED LUMBER, TYP.
- DECK RAILING SHALL BE THIN METAL, VERTICAL, PAINTED BLACK.
- PROVIDE ITEMIZED PRICE FOR SEEDING.
- PROVIDE SOUND INSULATION AROUND PERIMETER OF: LAUNDRY ROOM, MASTER BEDROOM, ALL BEDROOMS & ALL BATHROOMS, TYP.
- SLOPE GRADE AWAY FROM HOUSE, TYP.
- STAIRS: LOWER TO MAIN LEVEL = 10'-0" F.F. 17 RISERS @ 7 1/16" EA. 10" TREADS
- PROVIDE 5/8" TYPE "X" GYP. BD. EACH SIDE BETWEEN GARAGE & HOUSE AS WELL AS AROUND THE MECH. ROOM PERIMETER.
- PROVIDE 1" x 6" WOOD BASEBOARD PER OWNERS CHOICE, TYP.
- PROVIDE 1" x 4" WOOD CASING (TRIM) PER OWNERS CHOICE, TYP.
- KITCHEN CABINET, COUNTERTOPS, BATHROOM CABINETS, & LAV. TOPS SHALL BE CHOSEN BY OWNER & INSTALLED BY CONTRACTOR, TYP.
- PROVIDE MEDICINE CABINET IN EACH BATHROOM. VERIFY TYPE AND SIZE WITH OWNER, TYP.
- CONTRACTOR TO PROVIDE ALL NEEDED BACKING IN WALLS FOR CABINETS, MIRRORS, TOWEL HOLDER (3 PER), AND SHELVING.
- HEATING CONTRACTOR SHALL PROVIDE GEOTHERMAL HEAT PUMP SYSTEM FOR MAIN LEVEL, UNFINISHED BASEMENT, AND OVER GARAGE PROVIDE IN-FLOOR SYSTEM IN BASEMENT LIVING AREAS, TYP.
- HEATING CONTRACTOR SHALL PROVIDE CENTRAL AIR SYSTEM THROUGHOUT. 3 ZONES - BASEMENT, MAIN, AND ATTIC, TYP.
- ARCHITECT SUGGESTS TWO MECHANICAL ROOMS THAT WILL DIVIDE HOUSE INTO TWO PRIMARY ZONES, TYP. VERIFY THIS NEED AND PROCEED ACCORDINGLY.
- PLUMBING CONTRACTOR SHALL PROVIDE 75 GAL. GAS HOT WATER HEATER IN BASEMENT.
- PLUMBING CONTRACTOR SHALL PROVIDE KOHLER OR EQUAL WATER CLOSETS (WHITE) AND FIXTURES, TYP.
- PROVIDE BURIED SEPTIC TANK SYSTEM PER OWNERS SIZE AND LOCATION.
- PROVIDE AN ITEMIZED PRICE FOR A RESIDENTIAL SPRINKLER SYSTEM.
- CONTRACTOR TO PROVIDE A GAS LINE STUB-IN FOR FUTURE GAS GRILL AND GAS FIREPLACE NEAR THE KITCHEN.
- CONTRACTOR TO PROVIDE AN ELECTRICAL AND WATER LINE STUB-IN FOR FUTURE OUTLYING BUILDING. VERIFY LOCATION W/ OWNER.

MEDIUM SAMPLE

SAMPLE, IOWA

LOWER LEVEL  
FLOOR PLAN :  
1/4" = 1'-0"


JOB NUMBER :  
0000

DATE :  
000.00.0000

REVISIONS :  
PDF


GENERAL NOTES:

- REINFORCED CONCRETE
- WOOD FRAMED
- WOOD FRAMED INSULATED
- BRICK
- 1 HOUR FIRE RATED ASSEMBLY
- INDICATES 3-1/2" STRUCTURAL COLUMN
- INDICATES 3-2x6 STRUCTURAL COLUMN IN 2x6 FRAME WALL OR 3-2x4 STRUCTURAL COLUMN IN 2x4 FRAME WALL



MAIN LEVEL FLOOR PLAN


1/4" = 1'-0"



FOUNDATION SECTION

FOUNDATION NOTES:

- TYPICAL CONC. FOOTINGS: 1'-10" x 0'-10" CONC. FOOTING W/ 2-#5 BARS (CONT.)
- TYPICAL REINF. WALLS: #5 BARS @ 24" VERT. #5 BARS @ 48" HORIZ.
- TYPICAL REINF. FOOTINGS: PROVIDE FORM-A DRAIN AROUND ENTIRE PERIMETER, TYP.
- FOOTING NOTES: ALL THICKENED SLAB FOOTING AT THE INTERIOR BEARING WALLS TO BE 1'-6" x 0'-10" THICKENED CONC. SLAB W/ 2-#4 BARS (CONT.)



5 TYP. BASEMENT COLUMN DETAIL

MEDIUM SAMPLE


SAMPLE, IOWA

MAIN LEVEL  
FLOOR PLAN /  
FOUNDATION  
SECTIONS :  
BY DRAWING  
JOB NUMBER :  
0000  
DATE :  
000.00.0000  
REVISIONS :  
PDF



Property of Curtis Architecture & Design

Not for Construction




### EXTERIOR ELEVATION

1/4" = 1'-0"

Property of Curtis Architecture & Design

Not for Construction



### EXTERIOR ELEVATION

1/4" = 1'-0"



CURTIS  
ARCHITECTURE  
& DESIGN PC

RESIDENTIAL  
DIVISION

MEDIUM SAMPLE  
SAMPLE, IOWA

EXTERIOR  
ELEVATIONS :  
1/4" = 1'-0"  
JOB NUMBER :  
0000  
DATE :  
000.00.0000  
REVISIONS :  
PDF

223 E. MAIN STREET  
OTTUMWA, IA 52501  
641 814-1500  
CURTISARCHITECTURE.COM

SHEET #

A3

Property of Curtis Architecture & Design  
Not for Construction

Property of Curtis Architecture & Design  
Not for Construction


Property of Curtis Architecture & Design  
Not for Construction

Property of Curtis Architecture & Design  
Not for Construction

Property of Curtis Architecture & Design  
Not for Construction


Property of Curtis Architecture & Design  
Not for Construction

Property of Curtis Architecture & Design  
Not for Construction



EXTERIOR ELEVATION

1/4" = 1'-0"



EXTERIOR ELEVATION

1/4" = 1'-0"



CURTIS  
ARCHITECTURE  
& DESIGN PC

RESIDENTIAL  
DIVISION

MEDIUM SAMPLE  
SAMPLE, IOWA

EXTERIOR  
ELEVATIONS :  
1/4" = 1'-0"  
JOB NUMBER :  
0000  
DATE :  
000.00.0000  
REVISIONS :  
PDF


223 E. MAIN STREET  
OTTUMWA, IA 52501  
641 814-1500  
CURTISARCHITECTURE.COM

SHEET #


A4




1 BUILDING SECTION  
1/4" = 1'-0"




2 BUILDING SECTION  
1/4" = 1'-0"



3 BUILDING SECTION  
1/4" = 1'-0"



4 BUILDING SECTION  
1/4" = 1'-0"



5 BUILDING SECTION  
1/4" = 1'-0"



CURTIS  
ARCHITECTURE  
& DESIGN PC

RESIDENTIAL  
DIVISION

MEDIUM SAMPLE  
SAMPLE, IOWA

EXTERIOR  
ELEVATIONS :  
1/4" = 1'-0"  
JOB NUMBER :  
0000  
DATE :  
000.00.0000  
REVISIONS :  
PDF

223 E. MAIN STREET  
OTTUMWA, IA 52501  
641 814-1500  
CURTISARCHITECTURE.COM




SHEET #

A5



DOOR NOTES

- DOOR #s ON FLOOR PLAN SHEET TAKE PRECEDENCE OVER ALL OTHER PLAN.
- VERIFY BEFORE ORDERING
- ALL WOOD DOORS TO BE SELECTED BY OWNER.
- ALL INTERIOR DOORS TO BE CORE, FINISH PER OWNER.
- VERIFY W/ OWNER FOR DOOR TYPE, CORE, FRAME, & FINISH.



WINDOW SCHEDULE				
MARK	UNIT SIZE (W x H)	STYLE	MATERIAL	REMARKS
A	6'-0" x 6'-0"	PICTURE	FIBER GLASS	1
B	3'-0" x 7'-0"	PICTURE	FIBER GLASS	1
C	3'-0" x 6'-0"	PICTURE	FIBER GLASS	1
D	3'-0" x 4'-0"	PICTURE	FIBER GLASS	1
E	2'-8" x 4'-8"	FIXED	GLASS BLOCK	2
F	3'-0" x 3'-2"	PICTURE	FIBER GLASS	1
G	2'-0" x 3'-2"	PICTURE	FIBER GLASS	1
H	6'-0" x 3'-0"	PICTURE	FIBER GLASS	1
I	3'-0" x 3'-0"	PICTURE	FIBER GLASS	1
J	3'-0" x 3'-4"	PICTURE	FIBER GLASS	1
K	3'-4" ROUND	PICTURE	FIBER GLASS	1
L	2'-8" x 6'-0"	PICTURE	FIBER GLASS	1
M	2'-8" x 3'-0"	PICTURE	FIBER GLASS	1

WINDOW NOTES

- VERIFY ALL WINDOWS AND OPENINGS.
- VERIFY ALL WINDOWS AND FINISHES W/ OWNER.

REMARKS:


1. FIBER GLASS, LOW-E, INSULATED, FLAME & INSH. EXTERIOR COLOR PER OWNER.
2. GLASS BLOCK

WINDOW SCHEDULE


OPENING SCHEDULE									
MARK	DOOR					HARDWARE			REMARKS
	SIZE	SWG.	MTL.	TYPE	FINISH	HINGES	LOCK - SET	KNOB / HANDLE	
	BASEMENT LEVEL					BASEMENT LEVEL			
001	6'-0" x 6'-8" x 1 3/8"	--	MTL. CLAD	A	--	--	--	--	PATIO DOORS
002	6'-0" x 6'-8" x 1 3/8"	--	WOOD	E	--	--	--	--	BI-FOLD DOOR
003	3'-0" x 6'-8" x 1 3/8"	LHR	WOOD	D	--	--	--	--	
004	3'-0" x 6'-8" x 1 3/8"	--	WOOD	D	--	--	--	--	POCKET DOOR
005	3'-0" x 6'-8" x 1 3/8"	LHR	WOOD	D	--	--	--	--	
006	3'-0" x 6'-8" x 1 3/8"	RHR	ALUM.	B	--	--	--	--	SHOWER DOOR
007	3'-0" x 6'-8" x 1 3/8"	RHR	WOOD	D	--	--	--	--	
008	3'-0" x 6'-8" x 1 3/8"	--	WOOD	E	--	--	--	--	BI-FOLD DOOR
009	3'-0" x 6'-8" x 1 3/8"	LH	WOOD	D	--	--	--	--	
010	3'-0" x 6'-8" x 1 3/8"	RH	WOOD	D	--	--	--	--	
011	3'-0" x 6'-8" x 1 3/8"	LH	WOOD	D	--	--	--	--	
012	3'-0" x 6'-8" x 1 3/8"	LHR	WOOD	D	--	--	--	--	
013	3'-0" x 6'-8" x 1 3/8"	RHR	ALUM.	B	--	--	--	--	SHOWER DOOR
014	3'-0" x 6'-8" x 1 3/8"	LHR	WOOD	D	--	--	--	--	
015	3'-0" x 6'-8" x 1 3/8"	LHR	WOOD	D	--	--	--	--	
016	3'-0" x 6'-8" x 1 3/8"	RH	WOOD	D	--	--	--	--	
017	3'-0" x 6'-8" x 1 3/8"	--	WOOD	E	--	--	--	--	BI-FOLD DOOR
018	3'-0" x 6'-8" x 1 3/8"	LH	WOOD	D	--	--	--	--	
019	3'-0" x 6'-8" x 1 3/8"	--	WOOD	F	--	--	--	--	BI-FOLD DOOR
020	3'-0" x 6'-8" x 1 3/8"	RH	MTL. CLAD	J	--	--	--	--	INSULATED DOOR
021	3'-0" x 6'-8" x 1 3/8"	--	MTL. CLAD	C	--	--	--	--	INSULATED DOOR
022	3'-0" x 6'-8" x 1 3/8"	--	MTL. CLAD	--	--	--	--	--	POCKET DOOR BY OWNER
MAIN LEVEL									
101	3'-0" x 6'-8" x 1 3/8"	RH	MTL. CLAD	H	--	--	--	--	
102	3'-0" x 6'-8" x 1 3/8"	LH	WOOD	E	--	--	--	--	
103	3'-0" x 6'-8" x 1 3/8"	--	WOOD	D	--	--	--	--	POCKET DOOR
104	3'-0" x 6'-8" x 1 3/8"	--	WOOD	D	--	--	--	--	POCKET DOOR
105	3'-0" x 6'-8" x 1 3/8"	--	WOOD	D	--	--	--	--	POCKET DOOR
106	3'-0" x 6'-8" x 1 3/8"	--	WOOD	D	--	--	--	--	POCKET DOOR
107	3'-0" x 6'-8" x 1 3/8"	--	MTL. CLAD	A	--	--	--	--	PATIO DOORS
108	3'-0" x 6'-8" x 1 3/8"	--	MTL. CLAD	A	--	--	--	--	PATIO DOORS
109	3'-0" x 6'-8" x 1 3/8"	RH	WOOD	D	--	--	--	--	
110	3'-0" x 6'-8" x 1 3/8"	LH	WOOD	D	--	--	--	--	
111	3'-0" x 6'-8" x 1 3/8"	RHR	WOOD	D	--	--	--	--	
112	3'-0" x 6'-8" x 1 3/8"	RHR	MTL. CLAD	I	--	--	--	--	INSULATED DOOR
113	3'-0" x 6'-8" x 1 3/8"	--	STEEL	G	--	--	--	--	GARAGE DOOR
114	3'-0" x 6'-8" x 1 3/8"	--	STEEL	G	--	--	--	--	GARAGE DOOR
115	3'-0" x 6'-8" x 1 3/8"	--	STEEL	G	--	--	--	--	GARAGE DOOR
116	3'-0" x 6'-8" x 1 3/8"	LHR	WOOD	D	--	--	--	--	
117	3'-0" x 6'-8" x 1 3/8"	RHR	WOOD	D	--	--	--	--	

DOOR SCHEDULE







1 KITCHEN ELEVATION  
1/2" = 1'-0"




2 KITCHEN ELEVATION  
1/2" = 1'-0"




3 KITCHEN ELEVATION  
1/2" = 1'-0"



4 KITCHEN ELEVATION  
1/2" = 1'-0"



4 INTERIOR ELEVATION  
1/2" = 1'-0"











5 INTERIOR ELEVATION  
1/2" = 1'-0"

MEDIUM SAMPLE  
SAMPLE, IOWA

INTERIOR  
ELEVATIONS:  
1/2" = 1'-0"  
JOB NUMBER:  
0000  
DATE:  
000.00.0000  
REVISIONS:  
PDF


Property of Curtis Architecture & Design  
Not for Construction

ELECTRICAL POWER SCHEDULE	
	120V DUPLEX CONVENIENCE OUTLET
	GROUND FAULT CIRCUIT INTERRUPTER
	WATERPROOF DUPLEX OUTLET
	ABOVE COUNTER OUTLET
	ABOVE COUNTER GROUND FAULT CIRCUIT INTERRUPTER OUTLET
	220V OUTLET
	TELEPHONE & DATA



MAIN LEVEL POWER PLAN  
3/16" = 1'-0"

Property of Curtis Architecture & Design  
Not for Construction



LOWER LEVEL POWER PLAN  
3/16" = 1'-0"


Property of Curtis Architecture & Design  
Not for Construction

MEDIUM SAMPLE  
SAMPLE, IOWA

POWER PLANS :  
3/16" = 1'-0"  
JOB NUMBER :  
0000  
DATE :  
000.00.0000  
REVISIONS :  
PDF

Property of Curtis Architecture & Design  
Not for Construction

Property of Curtis Architecture & Design  
Not for Construction




ELECTRICAL  
FIXTURE SCHEDULE

	CEILING FIXTURE - SURFACE MOUNTED
	EXHAUST FAN & LIGHT
	WALL SCONCE
	CEILING FIXTURE - PENDANT SMALL
	CEILING FIXTURE - PENDANT LARGE
	6" RECESSED CAN
	3" RECESSED CAN
	WP WATER PROOF RECESSED CAN SWITCH
	3-WAY SWITCH
	DIMMER SWITCH
	GARAGE DOOR OPENER w/ LIGHT

MAIN LEVEL REFLECTED CEILING PLAN  
3/16" = 1'-0"

Property of Curtis Architecture & Design  
Not for Construction

Property of Curtis Architecture & Design  
Not for Construction



LOWER LEVEL REFLECTED CEILING PLAN  
3/16" = 1'-0"

Property of Curtis Architecture & Design  
Not for Construction

MEDIUM SAMPLE  
SAMPLE, IOWA

REFLECTED  
CEILING PLANS :  
3/16" = 1'-0"  
JOB NUMBER :  
0000  
DATE :  
000.00.0000  
REVISIONS :  
PDF